

SAFETY DATA SHEET VALAGRO EDTA Cu

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Substance identification:	
Trade name: VALAGRO EDT	A Cu
Trade code: 1648	
1.2. Relevant identified uses of the substance or mixtur	e and uses advised against
Recommended use:	
Fertilizer	
1.3. Details of the supplier of the safety data sheet	
AGRITRADE	
1 Robin Mann Place	
Christchurch Airport	
Christchurch 8053	
New Zealand	
Ph 03 341 4587	
Fax 03 341 4584	
Free Phone 0800 333 855	
agritrade@nzagritrade.co.nz	
1.4. Emergency telephone number:	
Emergency number : 24 Hour Emergence	y Contact: 0800 CHEMCALL (0800 243622)
NZ POISON CENTRE : 111 Police, Ambula	nce and Fire Brigade (available in New
CONTACT Zealand only)	
3,	onal Poisons Information Centre)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to the Hazardous Substances (Classification) Notice 2020, New Zealand HSNO Classification:

6.4A – Substances that are irritating to the eye.6.1D - Substances that are acutely toxic - Harmful

2.2. Label elements Symbols:



Warning

Hazard statements: H302 Harmful if swallowed.



H319 Causes serious eye irritation.
Precautionary statements:
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 - Read label before use
P264 Wash hands thoroughly after handling.
P270 Do no eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/ container in accordance with applicable regulations.

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

Name	Product identifier	%	Approval Status (NZIoC)	
Copper EDTA	CAS: 14025-15-1 EC: 237-864-5	90-97	HSNO Approval Code HSR003697	11
Water	CAS: 7732-18-5 EC: 231-791-2	10-3		

For full text of H-statements: see SECTION 16

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Never give anything by mouth to an unconscious person; If person is conscious rinse mouth with water and then give plenty of water to drink. Do not induce vomiting unless instructed to do so by medical personnel. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed:

Possible symptoms that may occur:

Inhalation: may cause irritation to the respiratory tract

Symptoms: cough, shortness of breath



Ingestion:

The product dissolved in water or in presence of moisture, cause an acid reaction and if swallowed can cause irritation and burns of the mouth, throat and digestive tract. Symptoms: vomiting, abdominal pain, gastrointestinal disorders

Contact with skin:

May cause irritation to the skin

Symptoms: redness, itching, pain.

Contact with eyes:

Causes eye irritation

Symptoms include pain and redness

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water. Carbon dioxide (CO2).

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.

Burning produces heavy smoke containing carbon oxides, nitrogen oxides

5.3. Advice for firefighters

Wear suitable personal protective equipment and self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. Protective clothing for firefighters (full protective suit, helmet, gloves, boots) must conform to the standard EN469

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training.

Wear protective clothes giving a total skin protection, gloves, safety glasses and ask with filter P2

Keep away from the affected area people not involved in the emergency intervention.

Ensure adequate ventilation, move people in a safe place.

Alert the internal emergency team. - For emergency responders:

Wear protective clothes giving a total skin protection, gloves, safety glasses and mask with filter P2.

Ensure adequate ventilation, move people in a safe place.

See protective measures under point 7 and 8.

Avoid dust generation

Dusts at sufficient concentrations can form explosive mixtures with air



Avoid any accumulation of electrostatic charge

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it in landfill approved; If possible, collect in clean plastic labeled containers and reuse as fertilizer. In case of gas escape or of entry into waterways, soil or drains, inform the responsible

- authorities. Suitable material for taking up: absorbing material, sol, sand.
- 6.3. Methods and material for containment and cleaning up
 - Collect the product for example using shovel and broom
 - Avoid raising dust

Wash with plenty of water, contain the spill with absorbent material, earth, sand.

6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original containers tightly closed in a well-ventilated place far from humidity and heat source

Keep away from food, drink and feed.

- Incompatible materials:
- Strong oxidants.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No WES or BEI set as at 12th Edition of Workplace exposure standards (Nov 2020)

For dust, in general:

ACGIH: recommended value inhalable dust: TLV/TWA: 10 mg/m³ ACGIH: recommended value breathable dust: TLV/TWA: 3 mg/m³

- Copper EDTA - CAS:14025-15-1

Substance name OSHA PEL	Cal/OSHA PEL 8-hour TWA (ST) STEL (C) CeilingTLV-	NIOSH REL Up to 10-hour TWA (ST) STEL	ACGIH 2015 TLV
-------------------------	--	--	----------------



		STEL	(C) Ceiling	
Copper (powder and smoke as Cu)	1 mg/m ³	1 mg/m³	1 mg/m³	1 mg/m³

DNEL Workers:

Inhalation exposure to long-term systemic effects DNEL: 1.8 mg/m³ Skin systemic effects long-term exposure DNEL 3750 mg / kg body weight/day General Population: Inhalation exposure to long-term systemic effects DNEL: 0.45 mg/m³ Skin systemic effects long-term exposure DNEL: 1875 mg/kg body weight /day oral systemic effects long-term exposure DNEL: 0.375 mg / kg body weight /day

PNEC

PNEC (freshwater) = 2.95 mg/L PNEC aqua (sea water) = 0.3 mg/L PNEC aqua (intermittent release) = 1.09 mg/L PNEC STP = 65.4 mg/L PNEC soil - Risk to terrestrial organisms = 0.21 mg/kg dw soil

8.2. Exposure controls

Appropriate engineering controls: No specific requirements.

The personal protective equipment must be compliant to the regulation UNI - EN in force Eye protection:

Use close fitting safety goggles according to the standard EN 166, don't use eye lens. Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective nitrile gloves that provides comprehensive protection according to EN 374. Respiratory protection:

In case of dust generation, use anti-powder mask with P2 filters according to the EN 149:2001. The powder exposition limit must be respected

Thermal Hazards:

None

Environmental exposure controls:

Prevent the contamination of soil, surface water or groundwater

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour:blue microgranules microgranulesOdour:odorlessOdour threshold:not applicable



pH 1% at 20°C: Melting point / freezing point: Initial boiling point and boiling Flash point: Evaporation rate: Solid/gas flammability:	4,5 Decomposes before melting range: not applicable,solid not applicable, solid not applicable, solid not applicable, the product doesn't contain any flammable substance
Upper/lower flammability or ex	plosive limits: not applicable, the product doesn't contain any
	flammable or explosive substance
Vapour pressure:	not applicable, solid
Vapour density:	not applicable, solid
Apparent Density:	0,8-0,9 Kg/dm3
Solubility in water:	1200 g/l at 20 °C
Solubility in oil:	N.A.
Partition coefficient (n-octanol/	/water): N.A.
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	not applicable, solid
Explosive properties:	not applicable, the product doesn't contain any explosive substance
Oxidizing properties:	not applicable, the product doesn't contain any oxidizing
31 1	substance
Particle characteristics:	No data available
9.2. Other information	
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant pro	operties N.A.

SECTION 10: Stability and reactivity

- 10.1. ReactivityStable under normal conditions10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions

 It reacts with strong oxidizing agents.
 Contact with hot surfaces may ignite the product

 10.4. Conditions to avoid
- 10.4. Conditions to avoid Avoid heating the product at high temperatures10.5. Incompatible materials
 - Strong oxidizing agents.
- 10.6. Hazardous decomposition products In case of fire and high temperatures can develop carbon oxides, nitrogen oxides.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
- Toxicological information of the mixture:
 - N.A.
- Toxicological information of the main substances found in the mixture:
 - a) acute toxicity:



Copper EDTA - CAS: 14025-15-1 LD50 (Oral) = 890 mg / kg (test similar to OECD 403) LD50 (dermal, rat)> 2000 mg / kg bw (OECD 402 read-across from Ethylenediaminetetraacetic acid ferric sodium salt) 4h-LC50 (inhalation)> 5.32 g / m3 (OECD 436)

- b) skin corrosion/irritation:
- Copper EDTA CAS: 14025-15-1 slightly irritating (test on rabbit: 50% aqueous solution, OECD 404)
- c) serious eye damage/irritation:
- Copper EDTA CAS: 14025-15-1 irritating (Test on rabbit, OECD 405)
- d) respiratory or skin sensitisation:
- Copper EDTA CAS: 14025-15-1
- not sensitizing (test on rat, OECD 429 Local Lymph Node Assay)
- e) germ cell mutagenicity:
- Copper EDTA CAS: 14025-15-1
- not classified carcinogenicity:
- f) carcinogenicity:
 Copper EDTA CAS: 14025-15-1 non-carcinogenic (read-across from hydrogen 2,2 ', 2' ', 2' '' - (ethane-1,2-diyldinitrilo) tetraacetate)
- g) reproductive toxicity:
 Copper EDTA CAS: 14025-15-1
 NOEL reproduction and development ≥ 500 mg/kg bw/day.
- h) STOT-single exposure:
- Copper EDTA CAS: 14025-15-1 not classified
- STOT-repeated exposure: There were no adverse effects in the group exposed to a minimum and medium level.
- Copper EDTA CAS: 14025-15-1 not classified
- j) aspiration hazard:
- Copper EDTA CAS: 14025-15-1 unlikely event (solid)

Symptoms related to the physical, chemical and toxicological properties:

There are no known health effects of the mixture as a whole. In base on the components present: Inhalation: may cause irritation to the respiratory tract Symptoms: cough, shortness of breath Ingestion: The product dissolved in water or in presence of moisture, cause an acid reaction and if swallowed can cause irritation and burns of the mouth, throat and digestive tract. Symptoms: vomiting, abdominal pain,gastrointestinal disorders Contact with skin: May cause irritation to the skin Symptoms: redness, itching, pain. Contact with eyes:



> Causes eye irritation Symptoms include pain and redness

SECTION	12: Ecological information
	Toxicity
	Adopt good working practices, so that the product is not released into the environment.
	- Copper EDTA - CAS: 14025-15-1
	Aquatic acute toxicity:
	Species: Fish = 555 mg/l - Notes: OECD 203
	Species: Daphnia = 109.2 mg/l - Notes: OECD 202
	Species: Algae = 662.6 mg/l - Notes: OECD 201
	Aquatic chronic toxicity:
	Species: Fish = 37.2 mg/l - Notes: OECD 210
	Species: Daphnia = 29.5 mg/l - Notes: OECD 211
	Species: Algae = 43.7 mg/l - Notes: OECD 201
	Bacteria toxicity:
	Endpoint: NOEC = 654 mg/l - Duration h: 3 - Notes: OECD 209
10.0	
12.2.	Persistence and degradability
	- Copper EDTA - CAS: 14025-15-1
	Abiotic degradation: half-life 20 days
	Resistant to hydrolysis (read across Ethylenediaminetetraacetic acid ferric sodium salt
	Biotic degradation:
	The EDTA and its salts are not readily degradable; slightly alkaline pH improves the
	biodegradability of EDTA
123	Bioaccumulative potential
12.0.	- Copper EDTA - CAS: 14025-15-1
	low bioaccumulation potential (log Kow <3)
12.4.	Mobility in soil
	The product is soluble and mobile in both terrestrial and aquatic compartments
12.5.	Results of PBT and vPvB assessment
	vPvB Substances: None - PBT Substances: None
12.6.	Other adverse effects
	None
SECTION	13: Disposal considerations
	Waste treatment methods
	Product :Recover if possible. In so doing, comply with the local and national regulations
	currently in force.
	Packaging: Dispose according to regulations.
	r ackaging. Dispose according to regulations.
	14: Transport information
14.1.	UN number
	Not classified as dangerous in the meaning of transport regulations.
14.2.	UN proper shipping name
	N.A.
14.3	Transport hazard class(es)
14.5.	N.A.
1//	Packing Group
14.4.	
	N.A.
14 5	Environmental hazards



- IMDG-Marine pollutant: No
- 14.6. Special Precautions for User

N.A.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

New Zealand

Classification	: Classified as hazardous according to Hazardous Substances (Classification) Notice 2020, New Zealand HSNO Classification
National Chemical Inventories (NZIoC)	: All components are listed on the New Zealand Inventory of Chemicals
HSNO Approval Number (Group Standard)	: HSR002571. Fertiliser (Subsidiary Hazard) Group Standard 2006
ACVM ACT 1997	: Exempt from registration under the Agricultural Compounds and Veterinary Medicines Act 1997

15.2. Chemical safety assessment No

SECTION 16: Other information

Issue date: September 13, 2021

Text of phrases referred to under heading 3:

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

Paragraphs modified from previous version: all paragraphs

This MSDS cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- CAS: Chemical Abstracts Service (division of the American Chemical



CLP: DNEL:	Society). Classification, Labeling, Packaging. Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.
N.A.:	no data available