



ACTIVE<sup>+</sup>

# TICK

## POUR-ON TICKICIDE

Scientifically formulated to kill ticks.  
For the control of ticks on cattle and as an aid in the  
treatment of ticks on deer.



**ACTIVE +1**

**FLUMETHRIN**

Active Ingredient: 10g/L Flumethrin.

USE ON:  
CATTLE  
DEER



TREATMENT & CONTROL OF:  
TICKS

# TICK

## POUR-ON TICKICIDE

Active Ingredient: 10g/L Flumethrin.



### BENEFITS

- Cost effective tickicide treatment.
- Treats and controls all 3 stages of lifecycle.
- Rainfast – not affected by rain falling within a few hours.
- Easy to use pour-on total body coverage.
- Nil meat and milk withholding.
- Persistent activity against ticks.
- Dramatic visible results.
- Developed in New Zealand for New Zealand.

### ADMINISTRATION

Apply Active+ Tick Pour-On evenly along the midline of the back from the front of the shoulders to the tail head.

Use a plastic measuring cup or automatic drenching gun to apply.

Retreatment should be undertaken when ticks start to reappear.

For optimum control of deer, breeding hinds should be treated every three weeks from August to fawning. This program will reduce the number of nymphs reaching the adult stage, which infest fawn during November/December.

Treatment of hinds can be continued after fawning if this is practical. Other stock should be treated every three weeks from August, or as required.

### WITHHOLDING PERIODS

NO WITHHOLDING PERIOD for meat and milk from treated animals.

### STORAGE

Store below 25°C (room temperature). Do not freeze.

### RAIN

Control of ticks is not affected by rain falling within a few hours of treatment.

### ADVERSE EFFECTS

Signs of mild irritation may be observed for 24 to 48 hours after treatment. Hair loss at the site of application may occur on deer which are shedding their winter coat at the time of treatment. This effect is temporary and can be minimised by spreading the dose over the entire backline. Growth of summer coat is not affected.

### PACK SIZES

Active+ Tick Pour-On is available in 10L and 5L packs.

Active+ Tick Pour-On is registered pursuant to the ACVM Act 1997 No. A011499.

09 274 8848 | [www.nexan.co.nz](http://www.nexan.co.nz)

Registered to;  
Nexan Corporation Limited, PO Box 217234, Botany Junction, Auckland

### DOSE

| CATTLE<br>(Liveweight) |             | DEER                 |             |
|------------------------|-------------|----------------------|-------------|
| Weight Range           | Dose Volume | Age Range            | Dose Volume |
| Up to 200 kg           | 20 mL       | Up to 6 Months       | 10 mL       |
| 200 - 300 kg           | 30 mL       |                      |             |
| 301 - 400 kg           | 40 mL       | Yearlings and adults | 20 mL       |
| Over 400 kg            | 50 mL       |                      |             |

