

# Monceren FS



## Section 1: Identification

Product name: Monceren FS

Other names: 05533031

Recommended use: Fungicide, Seed treatment

Manufacturer/Importer details: Agritrade  
1 Robin Mann Place  
Christchurch Airport  
PO Box 292, Christchurch 8140

Phone: 03 372 0890

24 hour emergency contact: 0800 CHEMCALL (0800 243 622)

National Poison Centre: 0800 POISON (0800 764 766)

## Section 2: Hazard identification

Product is classified as hazardous according to the Hazardous Substances (Classification) Notice 2017 of the HSNO Act, 1996.

HSNO Approval: HSR000608

Hazardous classification: 6.9B, 9.1B



Signal word: **WARNING**

Hazard statements: H373: May cause damage to organs through prolonged or repeated exposure.  
H411: Toxic to aquatic life with long lasting effects.

Additional label requirements: Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area

Do not apply directly into or onto water

Prevention statements: P103: Read label before use  
P260: Do not breathe dust/fumes/gas/mist/vapours/spray  
P273: Avoid release to the environment

Response statements: P314: Get medical advice/attention if you feel unwell.  
P391: Collect spillage

Storage statement/s: No storage statements

Disposal statement/s: P501 Dispose of product and containers in accordance with local Regulations. See section 13 for more details.

### Section 3: Composition/information on ingredients

Chemical identity of ingredients with health or environmental hazards:

<i>Ingredient</i>	<i>CAS No.</i>	<i>Proportion w/w</i>
Pencycuron	66063-05-6	22.7%
Glycerine	56-81-5	5 -15%
Other ingredients	-	Balance

### Section 4: First-aid measures

First aid measures:	If medical advice is needed, have product container or label at hand. For advice contact National Poisons Centre - 0800 POISON [0800 764 766] or a doctor.
Inhalation:	Move to fresh air. Keep patient warm and at rest. Call a doctor or Poisons Centre [0800 764 766] for advice if person feels unwell..
Ingestion:	Rinse mouth. Do NOT induce vomiting. Call a doctor or Poison Centre [0800 764 766] for advice if person feels unwell.
Skin contact:	Remove contaminated clothing. Wash off skin with plenty of soap and water. If available wash with polyethyleneglycol 400 then rinse with water.
Eye contact:	Rinse with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do so, then continue rinsing eye. Get medical attention if irritation persists.
First aid facilities:	Provide eye baths and safety showers close to areas where product contact or splashing may occur.
Advice to doctor:	Treat symptomatically.

### Section 5: Fire-fighting measures

Flammability:	Not classified as flammable
Appropriate extinguishing media:	Water spray, carbon dioxide, foam, sand.
Combustion products:	In the event of a fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)
Special protective equipment and precautions for fire-fighters:	In the event of a fire/explosion, do not breathe fumes. Wear self-contained breathing apparatus. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
HAZCHEM code:	3Z

### Section 6: Accidental release measures

Personal precautions:	Avoid contact with spilled product or contaminated surfaces. Remove all sources of ignition. Use full personal protective equipment.
Environmental precautions:	Do not allow to enter surface water, drains and ground water. Notify local authority if contamination of any waterway.
Procedure for clean up:	Soak up with inert absorbent material (e.g. sand, silica gel, sawdust). Clean contaminated floors and objects thoroughly, avoiding discharge of cleaning water to the environment.

## Section 7: Handling and storage

Safe handling:	Read label before use. Use only in an area provided with appropriate exhaust ventilation. Keep away from heat sources and possible ignition sources. When handling, wear full protective clothing.
Safe storage:	Store in original container tightly closed and in a secure dry, cool, well-ventilated area, out of direct sunlight and away from heat sources and foodstuffs.

## Section 8: Exposure controls/personal protection

Occupational exposure limits:	<i>Ingredient</i>	<i>Form of exposure</i>	<i>WES-TWA</i>	<i>WES-STEL</i>
	Glycerine	Inhalation	10 mg/m <sup>3</sup>	
	Pencycuron*	Inhalation	5 mg/m <sup>3</sup>	
	* This is not a regulatory standard, but is advised by the manufacturer			
	Note: It is recommended that airborne concentrations should be kept below 3 mg/m <sup>3</sup> for respirable particulates and 10 mg/m <sup>3</sup> for inhalable particulates.			
Biological limit value:	None set as of 11 <sup>th</sup> edition of WorkSafe's Workplace Exposure Standards and Biological Index values – November 2019.			
Engineering controls:	Ensure mixing and loading area is well-ventilated.			
Respiratory protection:	Respiratory protection is not required under anticipated circumstances of exposure.			
Hand protection:	Wear chemical resistant gloves, e.g. nitrile rubber .			
Eye protection:	Chemical goggles, safety glasses with side shields or face shield			
Skin protection:	Chemical resistant coveralls and closed in boots.			
General hygiene:	Do not eat, drink or smoke while using. Wash hands and exposed skin thoroughly with soap and water before meals and after work. Wash protective clothing daily after work.			

Further information on specific types of personal protective gear and related standards is available in Section 16.

## Section 9: Physical and chemical properties

(a)	Appearance:	Red liquid suspension
(b)	Odour:	Weak
(c)	Odour threshold:	Not available
(d)	pH:	7.0 -9.0 (as 1% aqueous dispersion)
(e)	Melting point/freezing point:	Not available
(f)	Initial boiling point and boiling range:	Not available
(g)	Flash point:	>100°C
(h)	Flammability (solid, gas):	Not classified as flammable under HSNO
(i)	Upper/lower flammability or explosive limits:	Not explosive.
(j)	Vapour pressure:	Not available
(k)	Vapour density:	Not available
(l)	Relative density:	1.10 at 20°C
(m)	Solubility (ies):	Miscible
(n)	Partition coefficient n-octanol/water:	Not available
(o)	Auto-ignition temperature:	450°C
(p)	Decomposition temperature:	Not available
(q)	Kinematic viscosity:	290 – 450 mPa.s at 20°C Velocity gradient 7.5 /s

## Section 10: Stability and reactivity

Stability of the substance:	Stable under normal conditions of storage and use.
Conditions to avoid:	Avoid extremes of temperature and direct sunlight.
Incompatible materials:	Store only in the original closed container.
Hazardous decomposition products:	No decomposition products expected under normal conditions of use.

## Section 11: Toxicological information

	Toxicity classifications determined by assessment of the components in the formulated mixture.	
(i)	Acute toxicity:	Not classified as acutely toxic.
(ii)	Aspiration hazard:	Not classified as aspirant hazard.
(iii)	Respiratory irritation:	Not classified as irritating to mucous membranes and respiratory tract.

# Monceren FS



(iv)	Skin corrosion / irritation:	Not classified as skin irritant or corrosive.												
(v)	Serious eye damage / irritation:	Not classified as eye irritant or corrosive.												
(vi)	Respiratory or skin sensitisation:	Not classified as a respiratory or contact sensitizer.												
(vii)	Germ cell mutagenicity:	Not classified for mutagenic effects.												
(viii)	Carcinogenicity:	Not classified for carcinogenic effects.												
(ix)	Reproductive toxicity:	Not classified for reproductive toxicity.												
(x)	Specific organ toxicity:	Classified as may cause damage to organs through prolonged or exposed exposure.												
(xi)	Narcotic effects:	Not classified for narcotic effects.												
Toxicological information for product:		<table border="0"> <tr> <td>Oral LD<sub>50</sub> (rat)</td> <td>&gt; 5000 mg/kg</td> </tr> <tr> <td>Dermal LD<sub>50</sub> (rat)</td> <td>&gt; 5000 mg/kg</td> </tr> <tr> <td>Inhalation LD<sub>50</sub> )</td> <td>&gt; 0.831 mg/L</td> </tr> <tr> <td>Skin irritation (Rabbit)</td> <td>Non irritant</td> </tr> <tr> <td>Eye irritation (Rabbit)</td> <td>Non irritant</td> </tr> <tr> <td>Sensitization (Mouse)</td> <td>Non sensitizer</td> </tr> </table>	Oral LD <sub>50</sub> (rat)	> 5000 mg/kg	Dermal LD <sub>50</sub> (rat)	> 5000 mg/kg	Inhalation LD <sub>50</sub> )	> 0.831 mg/L	Skin irritation (Rabbit)	Non irritant	Eye irritation (Rabbit)	Non irritant	Sensitization (Mouse)	Non sensitizer
Oral LD <sub>50</sub> (rat)	> 5000 mg/kg													
Dermal LD <sub>50</sub> (rat)	> 5000 mg/kg													
Inhalation LD <sub>50</sub> )	> 0.831 mg/L													
Skin irritation (Rabbit)	Non irritant													
Eye irritation (Rabbit)	Non irritant													
Sensitization (Mouse)	Non sensitizer													

## Section 12: Ecological information

		Ecotoxicological classifications determined by assessment of the components in the formulated mixture.								
(a)	Aquatic toxicity:	Toxic to aquatic life with long lasting effects.								
(b)	Terrestrial vertebrate toxicity:	Not classified.								
(c)	Terrestrial invertebrate toxicity:	Not classified.								
(d)	Persistence and degradability:	Pencycuron is not rapidly biodegradable. KOC: 5667								
(e)	Potential to be bioaccumulative:	Pencycuron does not bioaccumulate. BCF: 226								
(f)	Mobility in soil:	Pencycuron: Immobile in soil								
Ecotoxicological information for product:		<table border="0"> <tr> <td>96hr LC<sub>50</sub> (rainbow trout)</td> <td>&gt; 120 mg/kg</td> </tr> <tr> <td>48hr LC<sub>50</sub> (<i>Daphnia magna</i>)</td> <td>19.5 mg/L</td> </tr> <tr> <td>21 Day NOEC (<i>Daphnia magna</i>)</td> <td>0.0992 mg/L</td> </tr> <tr> <td>72hr EC<sub>50</sub> (Green algae)</td> <td>&gt;120 mg/L</td> </tr> </table>	96hr LC <sub>50</sub> (rainbow trout)	> 120 mg/kg	48hr LC <sub>50</sub> ( <i>Daphnia magna</i> )	19.5 mg/L	21 Day NOEC ( <i>Daphnia magna</i> )	0.0992 mg/L	72hr EC <sub>50</sub> (Green algae)	>120 mg/L
96hr LC <sub>50</sub> (rainbow trout)	> 120 mg/kg									
48hr LC <sub>50</sub> ( <i>Daphnia magna</i> )	19.5 mg/L									
21 Day NOEC ( <i>Daphnia magna</i> )	0.0992 mg/L									
72hr EC <sub>50</sub> (Green algae)	>120 mg/L									

## Section 13: Disposal considerations

Product disposal:	Dispose of this product only by using according to the label or through Agrecovery chemical disposal or similar approved service or to an approved landfill.
Container disposal:	Recycle through Agrecovery if possible or appropriate recycling facility. Alternatively, crush and bury in an approved landfill. Do not use container for any other purpose. Avoid contamination of any water supply or stream with product or empty container.

## Section 14: Transport information

# Monceren FS



UN number:	3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENICYURON 25% )
UN class:	9
Packing group:	III
Subsidiary risk:	-
Environmental hazards:	Marine Pollutant
Special precautions:	-

This product is classified as a Dangerous Good. Consult the Land Transport Rule: Dangerous Goods 2005 and NZS 5433:2012 Transport of Dangerous Goods on Land for more information

## Section 15: Regulatory information

HSNO:	Approved substance under the HSNO Act 1996.
HSNO approval number:	HSR000608
Tolerable exposure limit / environmental exposure limit:	None set at this time.
HSNO controls:	See <a href="http://www.epa.govt.nz">www.epa.govt.nz</a>
Additional controls:	The Substance must not be applied onto or into water. The method of application shall be limited to ground-based application only.
ACVM:	Registered under the Agricultural Compounds Veterinary Medicines Act 1997.
ACVM registration number:	P004502
Conditions of registration:	See <a href="http://www.foodsafety.govt.nz">www.foodsafety.govt.nz</a>

## Section 16: Other information

Date of issue:	13/07/2020
Reason for reissue:	Review of product and SDS information and change of distributor
Replaces:	Not applicable
Information references:	Supplier Safety Data Sheet NZ EPA Approved hazardous substances with controls Workplace Exposure Standards and Biological Exposure Indices
Abbreviations:	ACVM: Agricultural Chemicals and Veterinary Medicines Group HSNO: Hazardous substances and New Organisms Act 1996 (HSNO Act) EPA: Environmental Protection Authority of New Zealand CAS Number: Chemical Abstracts Service Number LD50: Lethal Dose 50% (Population) LC50: Lethal Concentration 50% (Population) WES-TWA: Workplace exposure standards – Time-weighted average

# Monceren FS



	WES-STEL: Workplace exposure standards – Short-term exposure limit
Personal Protection Standards:	The following Standards provide general advice regarding safety clothing and equipment: Respiratory equipment: <b>AS/NZS 1715</b> , Protective Gloves: <b>AS 2161</b> , Occupational Protective Clothing: <b>AS/NZS 4501</b> , Industrial Eye Protection: <b>AS1336</b> and <b>AS/NZS 1337</b> , Occupational Protective Footwear: <b>AS/NZS2210</b>

The data provided in this safety data sheet is based on current knowledge and experience. The purpose of this document is to describe the product in terms of its safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.